

Claims

1. In a communications system that supports conference calls that include an audio portion and a video portion, a method for selecting a primary video image from a plurality of video images, the method comprising the steps of:
 determining an amount of audio data generated by each participant of
 5 a plurality of participants in a conference call;
 selecting a dominating audio participant from the plurality of participants based upon the amount of audio data generated by each participant of the plurality of participants; and
 selecting a primary video image based on the dominating audio
 10 participant.
2. The method of claim 1 wherein the step of determining an amount of audio data comprises counting a number of audio packets generated by each participant of the plurality of participants.
3. The method of claim 1 wherein the step of determining an amount of audio data comprises counting an amount of audio samples in audio packets.
4. The method of claim 1 wherein the primary video image is larger than a plurality of remaining video images of the plurality of video images.
5. The method of claim 1 further comprising the step of maintaining the primary video image for at least a predetermined period of time.
6. In a communications system that supports conference calls that include an audio portion and a video portion, a method for selecting a primary video image from a plurality of video images, the method comprising the steps of:
 determining an amount of audio data generated by each participant of
 5 a plurality of participants in a conference call;
 determining whether a difference between an amount of audio data generated by one participant of the plurality of participants and an amount of

0903475-061601
 109190-548660

Sub
 at

audio data generated by other participants of the plurality of participants exceeds a predetermined threshold;

10 if the difference exceeds the predetermined threshold, then selecting a dominating audio participant from the plurality of participants based upon the amount of audio data generated by each participant of the plurality of participants; and

15 selecting a primary video image based on the dominating audio participant.

7. The method of claim 6 wherein the dominating audio participant generates an amount of audio data that exceeds an amount of audio data generated by each of a plurality of remaining participants of the plurality of participants.

5

8. The method of claim 6 further comprising the step of:
if the difference does not exceed the predetermined threshold, then determining a loudness of audio for each participant of the plurality of participants; and

5

selecting the dominating audio participant based on the loudness for each participant of the plurality of participants.

9. The method of claim 6 wherein the step of determining an amount of audio data comprises counting a number of audio packets generated by each participant of the plurality of participants.

10. The method of claim 6 wherein the step of determining an amount of audio data comprises counting an amount of audio samples in audio packets.

11. The method of claim 6 wherein the primary video image is larger than a plurality of remaining video images of the plurality of video images.

12. The method of claim 6 further comprising the step of maintaining the

Sub
ai

09883475-061601
T09T90" 524E886M

primary video image for at least a predetermined period of time.

13. In a communications system that supports conference calls that include an audio portion and a video portion, an apparatus for selecting a primary video image from a plurality of video images, the apparatus comprising:

5 a first processor that determines an amount of audio data generated by each participant of a plurality of participants in a conference call;

a second processor that selects a dominating audio participant from the plurality of participants based upon the amount of audio data generated by each participant of the plurality of participants; and

10 a third processor that selects a primary video image based on the dominating audio participant.

14. The apparatus of claim 13 wherein the first processor, the second processor and the third processor are a same processor.

15. The apparatus of claim 13 wherein at least two of the first processor, the second processor and the third processor are a same processor.

16. The apparatus of claim 13 wherein the primary video image is larger than a plurality of remaining video images of the plurality of video images.

17. The apparatus of claim 13 wherein the first processor determines an amount of audio data by counting a number of audio packets generated by each participant of the plurality of participants.

18. The apparatus of claim 13 wherein the first processor determines an amount of audio data by counting an amount of audio samples in audio packets.

Sub
at

09883475 061501